



NEGARA BRUNEI DARUSSALAM

**BRUNEI DARUSSALAM STANDARD
PIAWAI BRUNEI DARUSSALAM**

**PBD IEC 60921:2008
IEC 60921:2008
Edition 2.1**

**BALLAST FOR TUBULAR FLUORESCENT LAMPS –
PERFORMANCE SPECIFICATIONS**

**ENERGY DIVISION, PRIME MINISTER'S OFFICE
IN COLLABORATION WITH MINISTRY OF DEVELOPMENT
NEGARA BRUNEI DARUSSALAM**

FOREWORD

This Brunei Darussalam Electrical Standard was prepared by the Technical Committee on Electrical Standards [TECO (Electrical)], Energy Division at Prime Minister's Office in collaboration with the authority of the standards committee, Construction Planning and Research Unit (CPRU), Ministry of Development, Brunei Darussalam with the objective of developing the National Electrical Standards for electrical products, systems, equipment and facilities for the local industries and consumers with reference to international standards, guidelines and procedures. In developing the national electrical standards, the aim is to promote quality, technical integrity, health, safety and environmental standards for the local industries and consumers.

This Brunei Darussalam Electrical Standard is an adoption of the International Electro technical Commission IEC 60921: 2008 (Edition 2.1) standard and implements it as the Brunei Darussalam National Standard.

Attention is drawn to the fact that this Brunei Darussalam Electrical Standard does not confer any immunity from legal obligations in any contract for compliance to the Standard.

The National Electrical Standards are subject to periodical review according to the current needs of the local industries and consumers to keep abreast of progress in the industries and consumers concerned. Suggestions of amendments will be recorded and in due course brought to the notice of the committees concerned.

COMMITTEE MEMBERS

The Technical Committee on Electrical Standards [TECO (Electrical)] was tasked by the Energy Division at the Prime Minister's Office in collaboration with Construction Planning and Research Unit (CPRU), Ministry of Development, Brunei Darussalam for the preparation of this Brunei Darussalam Electrical Standard. The members of the Technical Committee are as follows:

- | | |
|---|--|
| 1. Awg Haji Abd Shawal Yaman
(Chairman) | Energy Division, Prime Minister's Office |
| 2. Awg Liaw Wai Khiong
(Co-Chairman) | Brunei LNG Sdn Bhd |
| 3. Pg Shaharuddin Pg Haji Yusoff
(Secretary) | CPRU, Ministry of Development |
| 4. Awg William Voon
(Assistant Secretary 1) | Institution of Engineering and Technology,
Brunei Network |
| 5. Awg Simon K A Leong
(Assistant Secretary 2) | KR Kamarulzaman & Associates |
| 6. Awg Haji Md Azrul Azrin Hj Md Zain | Energy Division, Prime Minister's Office |
| 7. Awg Musa Metali | Department of Electrical Services, PMO |
| 8. Awg Md Amir Sharifuddin Haji Ali | Department of Electrical Services, PMO |
| 9. Dyg Hajah Norhayati Ahmad | Department of Electrical Services, PMO |
| 10. Awg Majid Ali | Ministry of Industry & Primary Resources |
| 11. Awg Dennis Wong Tet Yin | Department of Mechanical & Electrical, PWD |
| 12. Awg Nohi Irwan Surkarki Haji Pawi | Department of Fire & Rescue Services |
| 13. Awg Martin Blundell | University Brunei Darussalam |
| 14. Awg Haji Morsidi Haji Kassim | Institut Teknologi Brunei |
| 15. Awg Haji Ismit Haji Mohamad | Institut Teknologi Brunei |
| 16. Awg Matyassin Haji Masri | Maktab Kejuruteraan Jefri Bolkiah |
| 17. Awg Sylvestor Kong | Brunei Shell Petroleum Co. Sdn Bhd |
| 18. Dyg Seri Malati OKIP Hj Zolkeflee | Brunei Shell Petroleum Co. Sdn Bhd |
| 19. Awang Aristoteles Momin | Brunei LNG Sdn Bhd |

20. Steve Turner	Berakas Power Management Company
21. Caius Yong	Berakas Power Management Company
22. Awg Rick Liaw	Hamzah Hassan Consultant
23. Awg Kyaw Moe Aung	HSE Engineering Sdn Bhd
24. Awg Khairul Ezam bin Haji Mohd. Zain	CPRU, Ministry of Development

INTERNATIONAL
STANDARD

Edition 2:2004 consolidated with amendment 1:2006

**Ballasts for tubular fluorescent lamps –
Performance requirements**



Reference number
CEI/IEC 60921:2004+A1:2006

PBD IEC 60921:2008 (Published by IEC in 2006)
This IEC International Standard has been adopted by CPRU, Ministry of Development,
Negara Brunei Darussalam as a national standard under the IEC Affiliate Country Programme

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative References	7
3 Terms and definitions	7
4 General notes on tests	8
5 Marking	8
6 Voltage at terminations of lamp or starter (if any)	8
6.1 For lamps operated with a starter	8
6.2 For lamps operated without a starter	9
6.3 For lamps operated without a starter (North American practice).....	9
6.4 Maximum (r.m.s.) voltage across starter terminals with lamp operating	10
6.5 For lamps with integral means of starting	10
7 Pre-heating conditions.....	10
7.1 For lamps operated with (integral) starter	10
7.2 For lamps operated without starter	11
7.3 For lamps operated without starter (North American practice)	11
8 Lamp power and current	11
8.1 For lamps operated with (integral) starter	11
8.2 For lamps operated without starter	12
9 Circuit power-factor	12
10 Supply current.....	12
11 Maximum current in any lead to a cathode.....	12
12 Current waveform	13
13 Magnetic screening	13
14 Impedance at audio-frequencies.....	13
Annex A (normative) Tests.....	14
A.1 General conditions for tests	14
A.2 Additional requirements for testing reference ballasts	15
A.3 Selection of reference lamps.....	16
A.4 Measurement of open-circuit voltage	20
A.5 Measurements of pre-heating conditions.....	20
A.6 Measurement of lamp power and current	20
A.7 Measurement of maximum current in any lead to a cathode	23
A.8 Measurement of current waveform (Figure 9).....	24
A.9 Measurement of impedance at audio-frequencies	25
Annex B (informative) Series operation of two fluorescent lamps	28

Annex C (normative) Reference ballasts	29
C.1 Marking	29
C.2 Design characteristics.....	29
C.3 Operating characteristics	29
 Annex D (normative) Reference lamps.....	 31
 Bibliography.....	 32
 Figure A.1 – Circuit for measurement of voltage/current ratio.....	 15
Figure A.2 – Circuit for measurement of power factor	15
Figure A.3 – Circuit for selection of reference lamps (without separate cathode heating)	17
Figure A.4 – Circuit for selection of reference lamps (with separate cathode heating)	18
Figure A.5 – Circuit for calibration of cathode transformers.....	19
Figure A.6 – Measurement of power and current output (lamps with starter)	21
Figure A.7 – Measurement of power and current output (lamps without starter)	23
Figure A.8 – Measurement of maximum current in any lead to a cathode	24
Figure A.9 – Measurement of current waveform	25
Figure A.10 – Measurement of impedance at audio-frequencies – Method A.....	26
Figure A.11 – Measurement of impedance at audio frequencies – Method B.....	27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**BALLASTS FOR TUBULAR FLUORESCENT LAMPS –
PERFORMANCE REQUIREMENTS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60921 has been prepared by subcommittee 34C: Auxiliaries for lamps, of IEC technical committee 34: Lamps and related equipment

The first edition needed to be revised completely in line with changes in IEC 60081:1997, Amendment 2:2003, covering special North American requirements for voltage at lamp terminations and preheat conditions. Additionally, it was decided to delete all EMC-related requirements, as EMC varies from region to region.

This consolidated version of IEC 60921 consists of the second edition (2004) [documents 34C/642/FDIS and 34C/659/RVD] and its amendment 1 (2006) [documents 34C/728/FDIS and 34C/746/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 2.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with IEC 61347-2-8.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This standard covers performance requirements for ballasts for tubular fluorescent lamps. It should be read in conjunction with IEC 61347-2-8, with which all ballasts covered by the present standard should comply.

Unless otherwise stated on the lamp data sheet mentioned in IEC 60081 and IEC 60901, it may be expected that ballasts which comply with this standard, when associated with lamps complying with IEC 60081 or IEC 60901, and, where appropriate, operated with a starter complying with IEC 60155 or starting devices complying with IEC 60927, will ensure satisfactory starting of the lamps at an air temperature immediately around the lamps between 10 °C and 35 °C and for voltages between 92 % and 106 % of rated supply voltage, and also proper operation between 10 °C and 50 °C at rated supply voltage.

The compatibility of lamps and ballasts is evaluated with the use of special inductive ballasts called "reference ballasts" having particular characteristics which are stable and reproducible. These ballasts are used when testing commercial ballasts and when selecting reference lamps. Moreover, the testing of ballasts presents particular difficulties, which require a proper definition of testing methods. Such tests will generally be made with reference lamps and, in particular, by comparing the results obtained when such lamps are operated on a reference ballast with the results obtained when the same lamps are operated on the ballast being tested.

NOTE Requirements are also included for all those features of reference ballast construction and performance which are considered necessary to ensure accurate and reproducible results when testing ballasts, particularly with regard to the selection of reference lamps.

For checking the lamp power and current of lamps operated without a starter, this standard specifies a measurement in a reference ballast circuit that makes no provision for separate power sources to heat the cathodes during lamp operation. Although the influence on the ballast specification is small, it has nevertheless been deemed useful for some pre-heated low-voltage cathode lamps, operated without a starter, to include provision for two alternative methods of measurement of lamp power and current:

- a) measurement of lamp power and current without additional cathode heating;
- b) measurement of lamp power and current with additional cathode heating.

The test method to be adopted for appraisal should be stated by the manufacturer.

Two alternative circuits are specified for the measurement of impedance at audio frequencies. The less complex circuit could be used when there is no doubt about the inductive character of the impedance. If there is any doubt, the other circuit should be used.

BALLASTS FOR TUBULAR FLUORESCENT LAMPS – PERFORMANCE REQUIREMENTS

1 Scope

This standard specifies performance requirements for ballasts, excluding resistance types, for use on a.c. supplies up to 1 000 V at 50 Hz or 60 Hz, associated with tubular fluorescent lamps with pre-heated cathodes operated with or without a starter or starting device and having rated wattages, dimensions and characteristics as specified in IEC 60081 and 60901. It applies to complete ballasts and their component parts such as resistors, transformers and capacitors.

A.C. supplied electronic ballasts for tubular fluorescent lamps for high frequency operation specified in IEC 61347-2-3 are excluded from the scope of this standard.

NOTE In some regions there are laws on EMC for luminaires. The controlgear also contributes to this EMC behaviour. See Bibliography for further references.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60901, *Single-capped fluorescent lamps – Performance specifications*

IEC 61347-1, *Lamp controlgear – General and safety requirements*

IEC 61347-2-8, *Lamp controlgear – Particular requirements for ballasts for fluorescent lamps*

3 Terms and definitions

For the purposes of the present document, the definitions of IEC 61347-2-8 together with the following apply.

3.1

(peak) lead circuit ballast

ballast having a leading lamp current with respect to the line voltage as a result of a capacitor which is connected in series with the lamp